

# DFUCLL

## ALL-In-One-Retrofit LED Troffer Kits

### FEATURES AND SPECIFICATIONS

Convert an existing linear fluorescent fixture to a state-of-the-art Linear LED fixture in minutes with this LED All-In-One Retrofit Kit. Choose from two great styles of Linear LED fixtures that will not only increase lighting performance, save energy and reduce maintenance but provide a fresh new look for the space. The LED Center Basket All-In-One Retrofit provides the look of a popular indirect/direct linear fixture with a special designed reflector and LED lens to provide comfortable, abundant lighting. The Chiclet Retrofit kit provides a luminous pillow styled lens and a high level of lighting with a dramatic appearance. Each kit mounts in minutes with all the LED components neatly engineered in one simple frame that mounts to two side rails that mount between the existing fixture body and the T-bar. Available in 2x2 or 2x4 sizes and a variety of wattage, lumens and color temperatures.

### LED Engine

Programmable Driver changes LED Array output to provide different outputs.

### Warranty

Five Year Warranty. See Terms and Conditions.

### Dimensions

#### W x L x H in inches

**2x2** - 23.97W x 24.00L x 3.65D

**2x4** - 23.97W x 48.00L x 3.65D



DFUCLL



Mounting Strips



### 2x2 ORDERING INFORMATION

Example: DFUCLL22LF35W4300LDMV40K

DFUCLL	22L	F35W4300L	DMV	40K
Series	Size	Wattage and Lumen	Driver	Color Temperature
DFUCLL ALL-In-One-Retrofit LED Center Basket Troffer Kits	22L 2 x 2	<b>F15W1900L</b> 15 System Watts, 1900 Delivered Lumens <b>F20W2700L</b> 20 System Watts, 2700 Delivered Lumens <b>F24W3000L</b> 24 System Watts, 3000 Delivered Lumens <b>F28W3350L</b> 28 System Watts, 3350 Delivered Lumens <b>F35W4300L</b> 35 System Watts, 4300 Delivered Lumens <b>F40W4700L</b> 40 System Watts, 4700 Delivered Lumens <b>F45W5100L</b> 45 System Watts, 5100 Delivered Lumens	DMV 0-10V Dimming	<b>30K</b> 3000K <b>35K</b> 3500K <b>40K</b> 4000K <b>50K</b> 5000K

\*Consult for other wattage and lumen options and emergency driver.

Catalog Number:
Notes:



T E X A S

F L U O R E S C E N T S

# DFUCLL

ALL-In-One-Retrofit LED Troffer Kits

Mounting Strips



## ORDERING INFORMATION

Example: DFUCLL14LF32W4300LDMV40K

DFUCLL	14L	F32W4300L	DMV	40K
Series	Size	Wattage and Lumen	Driver	Color Temperature
DFUCLL ALL-In-One-Retrofit LED Center Basket Troffer Kits	14L 1 x 4	<b>F15W1900L</b> 15 System Watts, 1900 Delivered Lumens <b>F20W2700L</b> 20 System Watts, 2700 Delivered Lumens <b>F24W3200L</b> 24 System Watts, 3200 Delivered Lumens <b>F28W3600L</b> 28 System Watts, 3600 Delivered Lumens <b>F32W4300L</b> 32 System Watts, 4300 Delivered Lumens <b>F40W5100L</b> 40 System Watts, 5100 Delivered Lumens <b>F48W5800L</b> 48 System Watts, 5800 Delivered Lumens <b>F57W6600L</b> 57 System Watts, 6600 Delivered Lumens	DMV 0-10V Dimming	<b>30K</b> 3000K <b>35K</b> 3500K <b>40K</b> 4000K <b>50K</b> 5000K
	24L 2 x 4	<b>F28W3900L</b> 28 System Watts, 3900 Delivered Lumens <b>F32W4650L</b> 32 System Watts, 4650 Delivered Lumens <b>F48W6750L</b> 48 System Watts, 6750 Delivered Lumens <b>F57W7800L</b> 57 System Watts, 7800 Delivered Lumens <b>F62W8100L</b> 62 System Watts, 8100 Delivered Lumens		

Catalog Number:
Notes:

# DFUCLL

ALL-In-One-Retrofit LED Troffer Kits


## DIMENSIONS

All dimensions are inches. Specifications subject to change without notice.



DFUCLL


### 2x4 Dimensions




### Mounting Strips



### 2x2 Dimensions



### Side View



\*Consult for other wattage and lumen options and emergency driver.

Catalog Number:
Notes: